

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L2	315	"robust header compression"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L3	38	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L4	22	L3 and L2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L5	15	L4 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L6	2998	(compress\$3 or decompress \$3) near header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L7	84	L6 with (stop\$4 or prevent \$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus \$3 or refrain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L8	27	L7 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L9	7	negotiat\$4 with (compression near change \$1)	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L10	29	L6 and L1	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L11	9	L10 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L12	7	L9 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L13	0	(L5 L8 L11 L12) and @pd>"20080722"	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58

L14	2998	(compress\$3 or decompress\$3) near header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L15	315	"robust header compression"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L16	84	L14 with (stop\$4 or prevent\$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus\$3 or refrain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L17	28	L15 and L16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L18	38	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L19	22	L18 and L15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L20	776	709/247.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L21	31	L20 and L15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 19:58
L22	102	(rohc "robust header compression") and (unidirectional "bidirectional optimistic" "bidirectional reliable" "bidirectional")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L23	15	(rohc "robust header compression") and (unidirectional and "bidirectional optimistic" and "bidirectional reliable" and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58

L24	29	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L25	80	(L16 L17 L19 L21 L22 L23 L24 L1) and @ad<"20021011"	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L26	46	decompress\$3 with (chang \$3 near (mode or method or scheme))	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L27	30	L26 and @rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L28	0	(L13 L25 L27) and @pd>"20080902"	US-PGPUB; USPAT	OR	OFF	2008/11/20 19:58
L29	1	((switch\$3 or chang\$3) near2 (header near compression) and "robust header compression").clm.	US-PGPUB	OR	OFF	2008/11/20 20:12
L30	14	((compress\$3 or decompress \$3) near header with (stop \$4 or prevent\$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus\$3 or refrain\$3)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 20:14
S1	2572	(compress\$3 or decompress \$3) near header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:20
S2	262	"robust header compression"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:21
S3	69	S1 with (stop\$4 or prevent \$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus \$3 or refrain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:23
S4	262	S1 and S2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:23
S5	21	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:24

S6	3	S5 and @rlad<"20021011"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:24
S7	2	"5535199".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:28
S8	31	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:41
S9	16	S8 and S2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:41
S10	10	S9 and @rlad<"20021011"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:41
S11	6	S3 and @rlad<"20021011"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:44
S12	730	709/247.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:57
S13	27	S12 and S2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:57
S14	5	S13 and @rlad<"20021011"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 15:57
S15	1	"20040073711".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/06 15:59
S16	0	("2004/0073711").URPN.	USPAT	OR	OFF	2008/03/06 16:00
S17	274	(rohc "robust header compression")	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:48

S18	86	(rohc "robust header compression") and (unidirectional "bidirectional optimistic" "bidirectional reliable" bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:51
S19	20	S18 and @rlad<"20021011"	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:51
S20	12	(rohc "robust header compression") and (unidirectional and "bidirectional optimistic" and "bidirectional reliable" and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:52
S21	0	S20 and @rlad<"20021011"	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:52
S22	25	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:52
S23	2	S22 and @rlad<"20021011"	US-PGPUB; USPAT	OR	OFF	2008/03/12 10:52
S24	27	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:30
S25	9	S24 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:30
S26	297	"robust header compression"	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 09:33
S27	37	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 09:33
S28	21	S27 and S26	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 09:33
S29	15	S28 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:33
S30	2808	(compress\$3 or decompress \$3) near header	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 09:36

S31	79	S30 with (stop\$4 or prevent \$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus \$3 or refrain\$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 09:36
S32	27	S31 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:36
S33	7	negotiat\$4 with (compression near change \$1)	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:43
S34	27	S30 and S24	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:43
S35	0	S33 and S24	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:43
S36	9	S34 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:43
S37	7	S33 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/07/22 09:45
S38	27	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S39	301	"robust header compression"	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:39
S40	38	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:39
S41	22	S40 and S39	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:39
S42	15	S41 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S43	2873	(compress\$3 or decompress \$3) near header	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:39

S44	80	S43 with (stop\$4 or prevent \$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus \$3 or refrain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:39
S45	27	S44 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S46	7	negotiat\$4 with (compression near change \$1)	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S47	27	S43 and S38	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S48	9	S47 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S49	7	S46 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S50	0	(S42 S45 S48 S49) and @pd>"20080722"	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:39
S51	2873	(compress\$3 or decompress \$3) near header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S52	301	"robust header compression"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S53	80	S51 with (stop\$4 or prevent \$3 or negat\$3 or reject\$3 or deny\$3 or declin\$3 or refus \$3 or refrain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S54	28	S52 and S53	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S55	38	(switch\$3 or chang\$3) near2 (header near compression)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S56	22	S55 and S52	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43

S57	756	709/247.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S58	28	S57 and S52	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/02 08:43
S59	93	(rohc "robust header compression") and (unidirectional "bidirectional optimistic" "bidirectional reliable" bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:43
S60	13	(rohc "robust header compression") and (unidirectional and "bidirectional optimistic" and "bidirectional reliable" and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:43
S61	27	(rohc "robust header compression") and (unidirectional and bidirectional)	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:43
S62	80	(S53 S54 S56 S58 S59 S60 S61 S38) and @ad<"20021011"	US-PGPUB; USPAT	OR	OFF	2008/09/02 08:43
S63	0	("2002/0059464").URPN.	USPAT	OR	OFF	2008/09/02 09:00
S64	46	decompress\$3 with (chang \$3 near (mode or method or scheme))	US-PGPUB; USPAT	OR	OFF	2008/09/02 09:50
S65	30	S64 and (@rlad<"20021011" @ad<"20021011")	US-PGPUB; USPAT	OR	OFF	2008/09/02 09:50
S66	57	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR	OFF	2008/09/02 23:02
S67	1150	709/236.ccls.	US-PGPUB; USPAT	OR	OFF	2008/09/10 13:22

11/ 20/ 08 8:15:15 PM

C:\Documents and Settings\dblair\My Documents\EAST\workspaces\10673345.wsp